

Archery Section Table of Contents

Archery Section

Arrow Shafts/Arrows	Page 3
Hunting / Target	Page 3
Youth	Page 17
Arrow Packaging	Page 18
Arrow Components	Page 19
Feathers	Page 19
Inserts	Page 21
Nocks	Page 24
Points	Page 29
Uni Bushings	Page 34
Vanes	Page 35
Arrow Construction	Page 39
Arrow Prep Tools	Page 39
Cresting Wraps	Page 40
Fletching Jigs	Page 42
Glue / Adhesives	Page 44
Cresting Lacquers	Page 48
Broadheads	Page 49
Sharpeners	Page 62
Small Game Points	Page 63
Bow Hardware & Modules	Page 65
Bows	Page 66
Beginner / Youth Bows	Page 66
Compound Bows	Page 72
Target / Recreational Recurve Bows	Page 86
Bow Grips & Finger Slings	Page 89
Wrist Slings	Page 90
Cable Guards	Page 91
Cable Dampeners	Page 91
Cable Guards and Slides	Page 92
Strings and Cables	Page 97
Control Cable / Bus Cables	Page 97
Split Cables	Page 97
Steel Cables	Page 99
Compound Strings	Page 100
Recurve Strings	Page 103
String Components	Page 104
Wax	Page 104
Kissers & Peeps	Page 105
String Loops	Page 111
String Silencers	Page 112
String Material	Page 115
String Jigs and Servers	Page 117
Tuning Tools	Page 121
Alignment Tools	Page 121
Bow Presses	Page 121
Chronographs	Page 124
Arrow Cut-off Saws	Page 124
Pliers	Page 125
Weight Scales	Page 126
Straightener, Broadhead Spinner, Spine Tester	Page 127
Wrenches & Screw Kits	Page 128
Vices	Page 130



Archery Section Table of Contents

Archery Section (Cont.)

Sights	Page 133
Hunting Sights	Page 133
Batteries, Levels, Pins, Lights	Page 151
Target Scopes and Accessories	Page 156
Target Sights	Page 158
Arrow Rests	Page 163
Arrow Holders	Page 163
Arrow Rests	Page 164
Clickers, Plungers	Page 175
Rest Silencers and Window Pads	Page 176
Stabilizers & Accessories	Page 179
Hunting Stabilizers	Page 179
Stabilizer Disconnects and Weights	Page 183
Target Stabilizers and Side Rods, V-Bars	Page 185
Silencers / Vibration Reducers	Page 187
Releases	Page 189
Release Rope	Page 189
Releases	Page 189
Replacement Straps	Page 204
Guards	Page 205
Arm Guards	Page 205
Chest Guards, No-Gloves	Page 208
Tabs	Page 208
Quivers & Quiver Accessories	Page 210
Arrow Lube and Pullers	Page 210
3D Quiver Rigs	Page 211
Bow Quivers	Page 212
Hip Quivers	Page 216
Target Quivers	Page 217
Youth Quivers	Page 217
Bow Carriers / Rests / Stands	Page 223
Training Aids	Page 225
Exercisers	Page 225
Books and DVDs	Page 225
Bow Cases	Page 227
Arrow Cases & Accessory Boxes	Page 227
Hard Bow Cases	Page 228
Recurve Cases	Page 231
Soft Bow Cases	Page 231
Limb Covers	Page 233
Targets / Faces	Page 235
3D Targets	Page 235
Bag Targets	Page 242
Block Targets	Page 244
Target Matts / Netting	Page 246
Burlap and Paper Animal Targets	Page 247
Target Faces	Page 249
Bow Fishing	Page 253
Rests	Page 253
Bows and Arrows	Page 254
Points and Reels	Page 255
Game Trackers	Page 256

ARROW SHAFTS/ARROWS

Beman

Arrow Specifications

STOCK ARROW SPECIFICATIONS: All arrows priced with the following specifications: Nocks loose, three fletch 4" left offset vanes or 4" feathers, full length, inserts & points as indicated. Any other configuration qualifies as a custom arrow and depending upon services there may be an upcharge. Custom Fletched Arrows with 4" and 5" Feathers are typically fletched with Parabolic Cut Feathers. Parabolic Feathers can substituted with Shield Cut Feathers if desired at no additional charge.

Order No
Specs

Item #s for ordering Arrows and Arrow Shafts

** The Order No.s shown for arrows and arrow shafts are NOT complete.**

When ordering arrows and shafts, please use the following formula.

Use "Order No" + "Specific Size" = Final Order Number

For ordering Beman Black Max shafts in size 300, this would be the formula

B200 + 300 = B200300

The final item No will be ... B200300

Please use complete arrow and shaft Order No.s when placing orders.

Beman Black Max

Unidirectional carbon fiber core for precise broadhead and "X" Nock alignment. High-strength radial layer for exceptional durability and hoop-strength. Ultra small diameter. Weight tolerance: +/- 2.0gr. "X" Nocks and HIT Inserts included.

Order No	Style	Size	Pk	Str Tol	Code
B200	Raw Shafts	300, 340, 400, 500	Doz	+/- .003"	10541206
B2071	Custom Vanes	All	Doz	"	10633606
B2072	Custom Feathers	All	Doz	"	10690006

Beman Max Components - HIT (dz.)

Easton X-Nocks	Green (9gr)	Orange	White
KAP Order #	20834	20835	22730
Easton HIT Inserts	16gr		
KAP Order #	20829		

Beman ICS Camo Hunter

Unidirectional C2 carbon fiber core for precise component fit. High-strength composite fibers for exceptional durability and hoop-strength. Micro smooth Infinity performance system and Photofusion camo graphics. Weight tolerance: +/- 2.0gr. Super Nocks and CM Inserts included.

Order No	Style	Size	Pk	Str Tol	Code
560	Raw Shafts	300, 340, 400, 500	Doz	+/- .003"	10577206
5641	Stocked Vanes	340, 400, 500	Doz	"	10655206
5642	Stocked Feathers	400	Doz	"	10716406
5671	Custom Vanes	300, 340, 400, 500	Doz	"	10620406
5672	Custom Feathers	All	Doz	"	10716406
C5641	"C" Box Vanes	All	1/2 Doz	"	10327606
C5642	"C" Box Feathers	All	1/2 Doz	"	10355806

Beman ICS Components (dz.)

Easton Super Uni Nock	Fl. Green	Fl. Orange	Black	White
KAP Order #	9782	9783	9781	9784
Easton Insert	CB - Black Shafts		CM - Camo Shafts	
KAP Order #	12398		13616	
Easton 1-Piece Tgt Point	CB 80gr. glue-in		CB 100gr. glue-in	
KAP Order #	18916		18917	

Beman ICS Hunter

Unidirectional C2 carbon fiber core for precise component fit. High-strength composite fibers for increased mass and exceptional hoop-strength. Micro smooth finish for easy pull from targets. Weight tolerance: +/- 2.0gr. Super Nocks and CB Inserts included.

Order No	Style	Size	Pk	Str Tol	Code
590	Raw Shafts	300, 340, 400, 500	Doz	+/- .003"	10462006
5941	Stocked Vanes	All	Doz	"	10541206
5942	Stocked Feathers	340, 400, 500	Doz	"	10597606
5971	Custom Vanes	300, 340, 400, 500	Doz	"	10541206
5972	Custom Feathers	All	Doz	"	10602406
C5941	"C" Box Vanes	All	1/2 Doz	"	10270606
C5942	"C" Box Feathers	All	1/2 Doz	"	10298806

Beman ICS Hunter JR

Unidirectional C2 carbon fiber core for precise component fit. High-strength composite fibers for increased mass and exceptional hoop-strength. Micro smooth finish for easy pull from targets. Weight tolerance: +/- 2.0gr. Super Nocks and CB Inserts included.

Order No	Style	Size	Pk	Code
22722	Pre-Fletched Vanes	40lbs	Doz	10296406

Beman ICS Venture

Unidirectional C2 carbon fiber core for precise component fit. High-strength composite fibers for increased mass and exceptional hoop-strength. Micro smooth finish for easy pull from targets. Weight tolerance: +/- 2.0gr. Super Nocks and CB Inserts included.

Order No	Style	Size	Pk	Str Tol	Code
570	Raw Shafts	300, 340, 400, 500	Doz	+/- .006"	10352806
5741	Stocked Vanes	400, 500	Doz	"	10430806
5771	Custom Vanes	300, 340, 400, 500	Doz	"	10430806
5772	Custom Feathers	All	Doz	"	10492006
C5741	"C" Box Vanes	All	1/2 Doz	"	10215406
C5742	"C" Box Feathers	All	1/2 Doz	"	10243606

Beman Max 4

Unidirectional carbon fiber core for precise broadhead and "X" Nock alignment. High-strength radial layer for exceptional durability and hoop-strength. Ultra small diameter. Weight tolerance: +/- 2.0gr. Advantage Max-4 camo. "X" Nocks and HIT Inserts included.

Order No	Style	Size	Pk	Str Tol	Code
B100	Raw Shafts	300, 340, 400, 500	Doz	+/- .003"	10673206
B1071	Custom Vanes	All	Doz	"	10766806
B1072	Custom Feathers	All	Doz	"	10823206

NEW Beman MFX Classic

Shaft features (MFX) Micro Effect and (HIT) Hidden Insert Technology, micro diameter carbon composite and comes with "X" nocks and HIT inserts. Straightness: + -.003" and + - 2.0 grain weight tolerance. 11.2 gpi

Order No	Style	Size	Pk	Str Tol	Code
B300	Raw Shafts	340, 400, 500	Doz	+/- .003"	10673206
B3071	Custom Vanes	All	Doz	"	10766806
B3072	Custom Feathers	All	Doz	"	10828006

ARROW SHAFTS/ARROWS

Beman Arrow Specification Chart

Shaft Size/Color	Weight	Spine	Length
300-ICS Black	9.5gpi	0.300"	32.5"
340-ICS Black	9.3gpi	0.340"	32"
400-ICS Black	8.4gpi	0.400"	31.5"
500-ICS Black	7.3gpi	0.500"	31"
300-ICS Camo	10.1gpi	0.300"	32.5"
340-ICS Camo	10.0gpi	0.340"	32"
400-ICS Camo	9.1gpi	0.400"	31.5"
500-ICS Camo	8.0gpi	0.500"	31"
300-Black Max	11.7gpi	0.300"	32.5"
340-Black Max	10.4gpi	0.340"	32"
400-Black Max	9.6gpi	0.400"	31.5"
500-Black Max	8.9gpi	0.500"	31"
300-Max-4	12.5gpi	0.300"	32.5"
340-Max-4	11.2gpi	0.340"	32"
400-Max-4	10.4gpi	0.400"	31.5"
500-Max-4	9.7gpi	0.500"	31"
340-MFX Classic	11.2gpi	0.340"	32"
400-MFX Classic	10.4gpi	0.400"	31.5"
500-MFX Classic	9.7gpi	0.500"	31"

Blackhawk

Arrow Specifications

STOCK ARROW SPECIFICATIONS: All arrows priced with the following specifications: Nocks loose, three fletch 4" left offset vanes or 4" feathers, full length, inserts & points as indicated. Any other configuration qualifies as a custom arrow and depending upon services there may be an upcharge. Custom Fletched Arrows with 4" and 5" Feathers are typically fletched with Parabolic Cut Feathers. Parabolic Feathers can substituted with Shield Cut Feathers if desired at no additional charge.

Order No

Specs

Item #s for ordering Arrows and Arrow Shafts

** The Order No.s shown for arrows and arrow shafts are NOT complete.**

When ordering arrows and shafts, please use the following formula.

Use "Order No" + "Specific Size" = Final Order Number

For ordering Beman Black Max shafts in size 300, this would be the formula

B200 + 300 = B200300

The final item No will be ... B200300

Please use complete arrow and shaft Order No.s when placing orders.

Blackhawk Vapor Pro Series Black

All carbon ACA construction Black shaft is tri-wrapped with 120gm unidirectional carbon fiber and Radiant Armor Carbon Coating PLUS. +/- 2.5gr weight tolerance per dozen. Press-fit V-nocks and V-1 inserts included.

Order No	Style	Size	Pk	Str Tol	Code
001120	Raw Shafts	3000, 4000, 5000	Doz	+/- .003"	10441506
0011241	Stock Vanes	All	Doz	"	10496106
0011242	Stock Feathers	4000	Doz	"	10549406
0011271	Custom Vanes	All	Doz	"	10496106
0011272	Custom Feathers	All	Doz	"	10549406

Blackhawk Vapor Pro Components (dz.)

Blackhawk V-Maxx Nocks	Green (17gr)	Orange
KAP Order #	19448	19449
Blackhawk V-1 Insert	12.3gr	
KAP Order #	19464	

Blackhawk Vapor Pro Series Carbonwood

All carbon ACA construction Wood Grain shaft is tri-wrapped with 120gm unidirectional carbon fiber and Radiant Armor Carbon Coating PLUS. +/- 2.5gr weight tolerance per dozen. Press-fit V-nocks and V-1 inserts included.

Order No	Style	Size	Pk	Str Tol	Code
001140	Raw Shafts	3000, 4000, 5000	Doz	+/- .003"	10549306
0011471	Custom Vanes	All	Doz	"	10606106
0011472	Custom Feathers	All	Doz	"	10659406

Blackhawk Vapor Pro Series Timber

All carbon ACA construction Advantage Timber shaft is tri-wrapped with 120gm unidirectional carbon fiber and Radiant Armor Carbon Coating PLUS. +/- 2.5gr weight tolerance per dozen. Press-fit V-nocks and V-1 inserts included.

Order No	Style	Size	Pk	Str Tol	Code
001130	Raw Shafts	3000, 4000, 5000	Doz	+/- .003"	10539506
0011341	Stock Vanes	4000	Doz	"	10596106
0011371	Custom Vanes	All	Doz	"	10596106
0011372	Custom Feathers	All	Doz	"	10649406

Blackhawk Vapor Pro Series Whitetail Black

Ultra-smooth precision black finish shaft features all-carbon construction, +/- .003" straightness tolerance, +/- 2.5 grain weight tolerance per dozen, and includes Bohning Signature nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
H100	Raw Shafts	2000, 3000, 4000, 5000	Doz	+/- .003"	10494906
H1041	Stock Vanes	3000, 4000, 5000	Doz	"	10550606
H1042	Stock Feathers	4000	Doz	"	10603906
H1071	Custom Vanes	All	Doz	"	10550606
H1072	Custom Feathers	All	Doz	"	10603906

Blackhawk Vapor Pro Series Whitetail Hdw Green

Ultra-smooth precision Hardwoods Green finish shaft features all-carbon construction, +/- .003" straightness tolerance, +/- 2.5 grain weight tolerance per dozen, and includes Bohning Signature nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
H110	Raw Shafts	2000, 3000, 4000, 5000	Doz	+/- .003"	10539506
H1141	Stock Vanes	3000, 4000, 5000	Doz	"	10596106
H1171	Custom Vanes	All	Doz	"	10596106
H1172	Custom Feathers	All	Doz	"	10649406

Blackhawk Arrow Specification Chart

Shaft Size/Color	Weight	Spine	Length
2000-Black	6.3gpi	.500"	30"
3000-Black	7.1gpi	.400"	31"
4000-Black	8.2gpi	.350"	31"
5000-Black	9.0gpi	.300"	31"
2000-Camo	8.2gpi	.500"	30"
3000-Camo	9.1gpi	.400"	31"
4000-Camo	9.9gpi	.350"	31"
5000-Camo	11.4gpi	.300"	31"

ARROW SHAFTS/ARROWS

Carbon Express

Arrow Specifications

STOCK ARROW SPECIFICATIONS: All arrows priced with the following specifications: Nocks loose, three fletch 4" left offset vanes or 4" feathers, full length, inserts & points as indicated. Any other configuration qualifies as a custom arrow and depending upon services there may be an upcharge. Custom Fletched Arrows with 4" and 5" Feathers are typically fletched with Parabolic Cut Feathers. Parabolic Feathers can substituted with Shield Cut Feathers if desired at no additional charge.

Order No
Specs

Item #s for ordering Arrows and Arrow Shafts	
** The Order No.s shown for arrows and arrow shafts are NOT complete.**	
When ordering arrows and shafts, please use the following formula.	
Use "Order No" + "Specific Size" = Final Order Number	
For ordering Beman Black Max shafts in size 300, this would be the formula	
B200 + 300 = B200300	
The final item No will be ... B200300	
Please use complete arrow and shaft Order No.s when placing orders.	

Hunting

Carbon Rebel

CARBON REBEL

Wrapped carbon composite for superior strength and durability. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
X100	Raw Shafts	45-60, 60-75	Doz	+/- .005"	10360606
X1041	Stocked Vanes	All	Doz	"	10442606
X1042	Stocked Feathers	All	Doz	"	10482106
X1071	Custom Vanes	All	Doz	"	10442606
X1072	Custom Feathers	All	Doz	"	10482106
CX1041	"C" Box Vanes	All	1/2 Doz	"	10221306
CX1042	"C" Box Feathers	All	1/2 Doz	"	10241106

Carbon Express Components (dz.)				
Rebel, CX, Heritage, Maxima, Terminator				
TCX Nock	White	Lime	Orange	(8.7gr.)
KAP Order #	19029	19030	19031	
CE Inserts	Type 1 (11.0gr)		Type 2 (11.5gr)	
KAP Order #	19047		19048	

Carbon Rebel EasyEye Eze-Crest Fletched by Carbon Express



Eze-Eye and Carbon Express have teamed up to bring a new breed of arrow to the industry. The Carbon Rebel shaft combined with Easy-Eye's white Eze-Crest arrow wrap and CX's vanes create an arrow made for the hunter. Inserts and TCX nocks are included.

Order No	Style	Size	Pk	Str Tol	Code
24439	Stocked Vanes	45/60	Doz	+/- .005"	10516606
24440	Stocked Vanes	60/75	Doz	"	10516606

Carbon Rebel Hunter

CARBON REBEL

Wrapped Creek Bottom Camo carbon composite for superior strength and durability. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
X170	Raw Shafts	45-60, 60-75	Doz	+/- .005"	10485706
X1741	Stocked Vanes	All	Doz	"	10579606
X1742	Stocked Feathers	All	Doz	"	10614906
X1771	Custom Vanes	All	Doz	"	10579606

Order No	Style	Size	Pk	Str Tol	Code
X1772	Custom Feathers	All	Doz	"	10614906
CX1741	"C" Box Vanes	All	1/2 Doz	"	10289806
CX1742	"C" Box Feathers	All	1/2 Doz	"	10307406

CX



Pure Multi-directional wrapped carbon shaft. 360 degree spine consistency. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
210	Raw Shafts	100, 200, 300, 400	Doz	+/- .0025"	10737906
2141	Stocked Vanes	200, 300	Doz	"	10856206
2142	Stock Feathers	300	Doz	"	10882906
2171	Custom Vanes	All	Doz	"	10856206
2172	Custom Feathers	All	Doz	"	10882906
C2141	"C" Box Vanes	All	1/2 Doz	"	10390006

CX Edge



Precision-wrapped carbon composite construction. Ultra-small diameter for deep penetration. CX Edge Nocks and CX Edge inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
X300	Raw Shafts	250, 350	Doz	+/- .004"	10611306
X3071	Custom Vanes	All	Doz	"	10717506
X3072	Custom Feathers	All	Doz	"	10748506

Carbon Express Edge Components (dz.)		
Edge Nock	Green (10.2gr)	Orange
KAP Order #	23344	23345
Slim Line Insert	11.0gr	
KAP Order #	23343	

NEW CX Edge Hunter



Shaft features BuffTuff construction for strength and durability, Timber Illuzion camo, press fit CX Edge nock and Slimline inserts included. +.004" straightness and +/-1.0 grain weight tolerance. 250=10.6 gpi, 350=11.5 gpi

Order No	Style	Size	Pk	Str Tol	Code
X320	Raw Shaft	250, 350	Doz	+/- .004"	10747206
X3271	Custom Vanes	250, 350	Doz	"	10866406
X3272	Custom Feathers	250, 350	Doz	"	10892806

CX Heritage



Durable precision wrapped Wood Grain Finish carbon composite construction for superior accuracy, toughness, and spine consistency. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
180	Raw Shafts	250, 350	Doz	+/- .005"	10609806
1871	Custom Vanes	All	Doz	"	10715806
1872	Custom Feathers	All	Doz	"	10746906

Maxima



BuffTuff Plus Crossweave for unmatched strength and durability without adding weight. 360 degree spine consistency. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
X130	Raw Shafts	150, 250, 350	Doz	+/- .0025"	10823106
X1341	Stocked Vanes	250, 350	Doz	"	10949706
X1342	Stocked Feathers	250, 350	Doz	"	10973506
X1371	Custom Vanes	All	Doz	"	10949706
X1372	Custom Feathers	All	Doz	"	10973506

ARROW SHAFTS/ARROWS

Carbon Express

Hunting

Maxima

Order No	Style	Size	Pk	Str Tol	Code
CX1341	"C" Box Vanes	All	1/2 Doz	"	10474806
CX1342	"C" Box Feathers	All	1/2 Doz	"	10486806

NEW Maxima Hunter

Shaft features BuffTuff Plus construction for strength and durability, Timber Illuzion camo, BullDog Nock Collar for nock end strength with TCX nocks and type 1 inserts included. +/- .0025" straightness and +/-1.0 grain weight tolerance. 250=8.0gpi, 350=8.9gpi.

Order No	Style	Size	Pk	Str Tol	Code
X310	Raw Shafts	250, 350	Doz.	+/- .0025"	10907706
X3171	Custom Vanes	All	Doz	"	101042406
X3172	Custom Feathers	All	Doz	"	101063406

Terminator Select

Durable precision wrapped black carbon finish composite construction for superior accuracy, toughness, and 360 degree spine consistency. Overwhelming kinetic energy. Laser matched for straightness. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
250	Raw Shafts	4560, 6075	Doz	+/- .0025"	10480106
2541	Stocked Vanes	6075	Doz	"	10573706
2542	Stocked Feathers	4560, 6075	Doz	"	10609106
2571	Custom Vanes	4560, 6075	Doz	"	10573706
2572	Custom Feathers	All	Doz	"	10609106
C2541	"C" Box Vanes	6075	1/2 Doz	"	10286806
C2542	"C" Box Feathers	6075	1/2 Doz	"	10304606

Terminator Hunter Select

Durable precision wrapped Realtree Hardwoods Green Camo carbon composite construction for superior accuracy, toughness, and 360 degree spine consistency. Overwhelming kinetic energy. Laser matched for straightness. TCX Nocks and inserts included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
270	Raw Shafts	4560, 6075	Doz	+/- .0025"	10610706
2741	Stocked Vanes	6075	Doz	"	10668206
2742	Stocked Feathers	6075	Doz	"	10699306
2771	Custom Vanes	4560, 6075	Doz	"	10668206
2772	Custom Feathers	All	Doz	"	10699306
C2741	"C" Box Vanes	6075	1/2 Doz	"	10358406
C2742	"C" Box Feathers	6075	1/2 Doz	"	10373906

NEW Terminator Lite

High-Tech carbon composite construction for durability and strength but with a lighter weight for flatter trajectory. +/- .005" straightness and +/-2.0 grain weight tolerance. TCX nocks and type 1 inserts included. 4560=8.2gpi, 6075=9.1gpi

Order No	Style	Size	Pk	Str Tol	Code
X330	Raw Shaft	4560, 6075	Doz	+/- .005"	10487806
X3371	Custom Vanes	All	Doz	"	10582006
X3372	Custom Feathers	All	Doz	"	10617306

NEW Terminator Lite Select

High-Tech carbon composite construction for strength and durability, TCX nocks and type 1 inserts included. +/- .0025" straightness and +/-1.0 grain weight tolerance. 45-60=8.2 gpi., 60-75=9.1 gpi.

Order No	Style	Size	Pk	Str Tol	Code
X360	Raw Shaft	4560, 6075	Doz.	+/- .0025"	10531106
X3671	Custom Vanes	All	Doz	"	10629406
X3672	Custom Feathers	All	Doz	"	10663106

NEW Terminator Lite Hunter

Shaft features BuffTuff construction for strength and durability, Timber Illuzion camo, TCX nocks and type 1 inserts included. +/- .005" straightness and +/-2.0 grain weight tolerance. 4560=9.4 gpi., 6075=10.2 gpi.

Order No	Style	Size	Pk	Str Tol	Code
X340	Raw Shaft	4560, 6075	Doz	+/- .005"	10592806
X3471	Custom Vanes	All	Doz	"	10697106
X3472	Custom Feathers	All	Doz	"	10728806

NEW Terminator Lite Hunter Select

Shaft features BuffTuff construction for strength and durability, Timber Illuzion camo, TCX nocks and type 1 inserts included. +/- .0025" straightness and +/-1.0 grain weight tolerance. 4560=9.4 gpi., 60-75=10.2 gpi.

Order No	Style	Size	Pk	Str Tol	Code
X370	Raw Shaft	4560, 6075	Doz.	+/- .0025"	10635706
X3771	Custom Vanes	All	Doz	"	10744206
X3772	Custom Feathers	All	Doz	"	10774406

Carbon Express Arrow Specification Chart

Shaft Size/Color	Weight	Spine
4560-Rebel	10.7gpi	0.300"
6075-Rebel	11.2gpi	0.305"
4560-Rebel Hunter	12.0gpi	0.310"
6075-Rebel Hunter	12.5gpi	0.313"
100-CX	6.5gpi	0.286"
200-CX	7.3gpi	0.291"
300-CX	8.1gpi	0.295"
400-CX	8.9gpi	0.298"
300-Black Max	11.7gpi	0.300"
340-Black Max	10.4gpi	0.340"
400-Black Max	9.6gpi	0.400"
500-Black Max	8.9gpi	0.500"
250-CX Edge	9.3gpi	0.265"
350-CX Edge	10.3gpi	0.271"
250-CX Edge Hunter	10.6gpi	0.274"
350-CX Edge Hunter	11.5gpi	0.279"
150-CX Heritage	10.0gpi	0.300"
250-CX Heritage	11.0gpi	0.305"
350-CX Heritage	12.0gpi	0.309"
250-Maxima	7.3gpi	0.289"
350-Maxima	8.2gpi	0.294"
250-Maxima Hunter	8.0gpi	0.295"
350-Maxima Hunter	8.9gpi	0.297"
4560-Terminator	9.5gpi	0.297"
6075-Terminator	10.0gpi	0.300"
4560-Terminator Hunter	11.0gpi	0.306"
6075-Terminator Hunter	12.0gpi	0.311"
4560-Terminator Lite	8.2gpi	0.295"
6075-Terminator Lite	9.1gpi	0.298"
4560-Terminator Lite Hunter	9.4gpi	0.300"
6075-Terminator Lite Hunter	10.2gpi	0.305"

ARROW SHAFTS/ARROWS

Carbon Express

Target

3D Select

Pure Multi-directional wrapped carbon shaft. Laser matched for straightness. 360 degree spine consistency. TCX Nocks included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
160	Raw Shafts	100, 200, 300, 400	Doz	+/- .001"	10873806
1671	Custom Vanes	All	Doz	"	101005306
1672	Custom Feathers	All	Doz	"	101027406

Carbon Express 3D Select Components (dz.)

TCX Nock	White	Lime	Orange	(8.7 gr.)
KAP Order #	19029	19030	19031	
CE Inserts	Type 1 (11.0gr)			
KAP Order #	19047			
Pig Points	Glue-in (100-60gr)		Screw-in (100-60gr)	
KAP Order #	19061		19062	
Express Target Point	100-70gr			
KAP Order #	19060			

CXL 2

Diamond-Weave BuffTuff construction. Pure multi-directional wrapped carbon shaft. Nock outsert included for extra strength. 360 degree spine consistency. Meets NFAA and FITA equipment standards. CXL2 Nocks included. Fits both internal and external components.

Order No	Style	Size	Pk	Str Tol	Code
X110	Raw Shafts	150, 250, 350	Doz	+/- .003"	101068306
X1171	Custom Vanes	All	Doz	"	101218506
X1172	Custom Feathers	All	Doz	"	101234006

Carbon Express CXL2 Components (dz.)

CXL2 Nocks	Fl. Yellow	Black
KAP Order #	19041	19043
CXL2 Inserts	28gr	
KAP Order #	19053	
CXL2 Points	135-60gr	
KAP Order #	20825	
Adj. Steel Target Point	135-60gr	
KAP Order #	23521	

Line Jammer

Diamond-Weave BuffTuff construction. Pure multi-directional wrapped carbon shaft. Nock outsert included for extra strength. 360 degree spine consistency. Line Jammer HyperTek included. All internal components.

Order No	Style	Size	Pk	Str Tol	Code
X120	Raw Shafts	250	Doz	+/- .003"	101068306
X1271	Custom Vanes	All	Doz	"	101218506
X1272	Custom Feathers	All	Doz	"	101234006

Carbon Express Line Jammer Components (dz.)

HyperTek Nocks	Fl. Green	Black (22.6gr)
KAP Order #	23509	23510
Adj. Steel Target Point	155-80gr	
KAP Order #	23523	

NEW X-Jammer

Shaft features BuffTuff construction with Diamond-Weave finish, Bulldog nock collar for strength and durability during nock end impacts and HyperTek nock included. +/- .003" straightness and +/- 1.0 grain weight tolerances. .406" outside diameter. 250=9.6 gpi.

Order No	Style	Size	Pk	Str Tol	Code
X350	Raw Shaft	250	Doz	+/- .003"	101068306
X3571	Custom Vanes	All	Doz	"	101218506
X3572	Custom Feathers	All	Doz	"	101234006

Carbon Express

X-Jammer Components (dz.)

HyperTek Nocks	Fl. Green	25.3gr
KAP Order #	23508	
Adj. Steel Target Point	225-150gr	
KAP Order #	23522	

Youth

NEW Carbon Express Terminator Jr. Arrows

Designed specifically for draw weights of 20-40lbs. Shaft is 6.0 gpi with an outside diameter of .271" and all internal components. Fletched with 4" Vanes, 28" length. TS nocks and inserts included.

Order No	Style	Size	Pk	Length	Code
23525	Factory Arrows	2040	36/box	28"	101245606

Thunderstorm

Durable precision wrapped carbon composite construction. Intermediate arrow for use with 30-50lb bows. Fully assembled with TS nocks and TS inserts included. All internal components.

Order No	Style	Size	Pk	Code
280	Raw Shafts	50	Doz	10367406

Carbon Express Thunderstorm Components (dz.)

Thunderstorm Nocks	Fl. Yellow	9gr
KAP Order #	19025	
Thunderstorm Inserts	11gr	
KAP Order #	19049	

Thunderstorm SE

Durable precision wrapped carbon composite construction. Intermediate arrow for use with 30-50lb bows. Fully assembled with TS nocks and TS inserts included. All internal components.

Order No	Style	Size	Pk	Code
X190	Raw Shafts	All	Doz	10452306
X1971	Custom Vanes	All	Doz	10543106
X1972	Custom Feathers	All	Doz	10579506

Carbon Express Tgt Arrow Specification Chart

Shaft Size/Color	Weight	Diameter
100-3D Select	6.5gpi	0.286"
200-3D Select	7.3gpi	0.291"
300-3D Select	8.1gpi	0.295"
400-3D Select	8.9gpi	0.298"
150-CXL 2	6.7gpi	0.352"
250-CXL 2	7.2gpi	0.355"
350-CXL 2	8.3gpi	0.360"
250-Linejammer	7.5gpi	0.385"
250-X-Jammer	9.6gpi	0.406"

ARROW SHAFTS/ARROWS

Carbon Impact

Arrow Specifications

STOCK ARROW SPECIFICATIONS: All arrows priced with the following specifications: Nocks loose, three fletch 4" left offset vanes or 4" feathers, full length, inserts & points as indicated. Any other configuration qualifies as a custom arrow and depending upon services there may be an upcharge. Custom Fletched Arrows with 4" and 5" Feathers are typically fletched with Parabolic Cut Feathers. Parabolic Feathers can substituted with Shield Cut Feathers if desired at no additional charge.

Order No

Specs

Item #s for ordering Arrows and Arrow Shafts

** The Order No.s shown for arrows and arrow shafts are NOT complete.**

When ordering arrows and shafts, please use the following formula.

Use "Order No" + "Specific Size" = Final Order Number

For ordering Beman Black Max shafts in size 300, this would be the formula

B200 + 300 = B200300

The final item No will be ... B200300

Please use complete arrow and shaft Order No.s when placing orders.

Carbon Impact Camo Fat Shaft XLT Yellow

Carbon Impact Fat Shaft XLT 6000

Seamless technology ACA Carbon, super smooth Hardwoods Green HD Camo finish and a forgiving spine provides accuracy, durability and speed. Weight tolerance of +/- 3gr per dozen. Includes Carbon Impact series press-fit nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
I240	Raw Shafts	5000, 6000	Doz	+/- .003"	10699906
I2471	Custom Vanes	All	Doz	"	10789306
I2472	Custom Feathers	All	Doz	"	10842506

Carbon Impact Components (dz.)

Press Fit Nocks	Green (13gr)	Orange
KAP Order #	22102	22103
Carbon Impact Inserts	12gr	
KAP Order #	22101	

Carbon Impact Fat Shaft XLT Blue

Carbon Impact Fat Shaft XLT 6000

Seamless technology ACA Carbon, super smooth black finish and a forgiving spine provides accuracy, durability and speed. Weight tolerance of +/- 4gr per dozen. Includes Carbon Impact series press-fit nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
I210	Raw Shafts	5000, 6000, 6500	Doz	+/- .006"	10429906
I2141	Stock Vanes	6000, 6500	Doz	"	10502406
I2171	Custom Vanes	All	Doz	"	10502406
I2172	Custom Feathers	All	Doz	"	10555606

Carbon Impact Fat Shaft XLT Yellow

Carbon Impact Fat Shaft XLT 6000

Seamless technology ACA Carbon, super smooth black finish and a forgiving spine provides accuracy, durability and speed. Weight tolerance of +/- 3gr per dozen. Includes Carbon Impact series press-fit nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
I230	Raw Shafts	5000, 6000, 6500	Doz	+/- .003"	10529906
I2371	Custom Vanes	All	Doz	"	10608606
I2372	Custom Feathers	All	Doz	"	10661906

Carbon Impact Trophy Hunter Blue

Carbon Impact Trophy Hunter 350

Seamless technology ACA Carbon, super smooth black finish and a forgiving spine provides accuracy, durability and speed. Weight tolerance of +/- 4gr per dozen. Includes Carbon Impact series press-fit nocks and inserts.

Order No	Style	Size	Pk	Str Tol	Code
I200	Raw Shafts	350, 400	Doz	+/- .006"	10414906
I2071	Custom Vanes	All	Doz	"	10486506
I2072	Custom Feathers	All	Doz	"	10539806

Carbon Impact Arrow Specification Chart

Shaft Size/Color	Weight	Spine	Length
350-Black	8.1gpi	.350"	32.5"
400-Black	7.8gpi	.400"	32"
5000-Black/Camo (Blue)	7.1gpi	.490"	31"
6000-Black/Camo (Blue)	8.2gpi	.390"	32"
6500-Black/Camo (Blue)	8.5gpi	.350"	32.5"
5000-Black/Camo (Yellow)	6.9gpi	.490"	31"
6000-Black/Camo (Yellow)	8.0gpi	.390"	32"
6500-Black/Camo (Yellow)	8.3gpi	.350"	32.5"

Easton

Arrow Specifications

STOCK ARROW SPECIFICATIONS: All arrows priced with the following specifications: Nocks loose, three fletch 4" left offset vanes or 4" feathers, full length, inserts & points as indicated. Any other configuration qualifies as a custom arrow and depending upon services there may be an upcharge. Custom Fletched Arrows with 4" and 5" Feathers are typically fletched with Parabolic Cut Feathers. Parabolic Feathers can substituted with Shield Cut Feathers if desired at no additional charge.

Order No

Specs

Item #s for ordering Arrows and Arrow Shafts

** The Order No.s shown for arrows and arrow shafts are NOT complete.**

When ordering arrows and shafts, please use the following formula.

Use "Order No" + "Specific Size" = Final Order Number

For ordering Beman Black Max shafts in size 300, this would be the formula

B200 + 300 = B200300

The final item No will be ... B200300

Please use complete arrow and shaft Order No.s when placing orders.

Alum - Hunting

Easton Black Stalker

STALKER

Aluminum shaft features 5086 alloy with a hard anodized black finish. Nocks, inserts and points sold separately.

Order No	Style	Size	Pk	Str Tol	Code
E170	Raw Shafts	1916, 2117, 2216, 2219	Doz	+/- .006"	10181206
E1771	Custom Vanes	All	Doz	"	10278406
E1772	Custom Feathers	All	Doz	"	10334806

Easton "G" Nocks (dz.)

Easton Super Uni Nocks (dz.)

0.088	Black	1612	Black	9781
0.088	Fl. Green	1613	Fl. Green	9782
0.088	Fl. Orange	1614	Fl. Orange	9783
0.088	Red	18910	White	9784
0.088	White	1616	Fl. Yellow	9785
0.098	Black	1606		
0.098	Fl. Green	1607		
0.098	Fl. Orange	1608		
0.098	Red	18911		
0.098	White	1610		

ARROW SHAFTS/ARROWS

Easton

Alum - Hunting

Easton Camo Hunter XX75



7075-T9 alloy. Hard-anodized camo. Weight tolerance of +/- 1%. Super Uni or "X" Uni-bushing and Super nock or "X" nock installed and RPS inserts included.

Order No	Style	Size	Pk	Str Tol	Code
700	Raw Shafts	1816, 1913, 1916, 2013, 2016, 2113, 2114, 2115, 2117, 2213, 2215, 2216, 2219, 2314, 2315, 2317, 2413, 2419, 2514	Doz	+/- .002"	10416406
7141	Stocked 4" Vanes	1816, 1916, 2013, 2016, 2018, 2114, 2115, 2117, 2213, 2215, 2216, 2219, 2314, 2315, 2317, 2413	Doz	"	10495606
7142	Stocked 4" Feathers	1916, 2213	Doz	"	10276006
7151	Stocked 5" Vanes	2018, 2117, 2213, 2216, 2219, 2314, 2315, 2413	Doz	"	10495606
7171	Custom Vanes	All	Doz	"	10495606
7172	Custom Feathers	All	Doz	"	10556806
C7141	"C" Box 4" Vanes	All	1/2 Doz	"	10247806
C7142	"C" Box 4" Feathers	All	1/2 Doz	"	10276006
C7151	"C" Box 5" Vanes	All	1/2 Doz	"	10247806
C7152	"C" Box 5" Feathers	All	1/2 Doz	"	10276006

Easton Inserts (dz.) for Aluminum Arrows		Arizona Z-Nocks (dz.) for Swaged Arrows	
1716	6269	1/4" Fl. Green	8700
1816	6270	1/4" Fl. Orange	8701
1913/14/2020	6271	1/4" White	8705
1916	6272	9/32" Fl. Green	8713
2012	6273	9/32" Fl. Orange	8714
2013/15	6274	9/32" White	8718
2016	6275	5/16" Fl. Green	8725
2018	6276	5/16" Fl. Orange	8726
2112	6277	5/16" White	8730
2113/14/15/17	6278	11/32" Fl. Green	8737
2212	6279	11/32" Fl. Orange	8738
2213/15	6280	11/32" White	8742
2216	6281		
2219	6282		
2312	6283		
2314	6284		
2315/2419	6285		
2412/13/15	6286		
2512	6287		
2514	6288		
2613	6289		

Easton Fall Stalker



Economy aluminum alloy construction. Fall camo finish. Nocks not included with shafts but are included with fletched arrows.

Order No	Style	Size	Pk	Str Tol	Code
400	Raw Shafts	1816, 1916, 2018, 2117, 2216, 2219	Doz	+/- .006"	10204006
4041	Stocked Vanes	All	Doz	"	10301206
4071	Custom Vanes	All	Doz	"	10301206
4072	Custom Feathers	All	Doz	"	10362406
C4041	"C" Box Vanes	All	1/2 Doz	"	10150606


Easton Gamegetter II



7075-T9 alloy. Hard-anodized camo. Full-diameter taper swage. Weight tolerance of +/- 1.25%. RPS Inserts included. Conventional nocks not included with shafts but are included with fletched arrows.

Order No	Style	Size	Pk	Str Tol	Code
100	Raw Shafts	1716, 1816, 1916, 2016, 2018, 2115, 2117, 2215, 2216, 2219, 2315	Doz	+/- .003"	10328806
1141	Stocked 4" Vanes	All	Doz	"	10406806
1142	Stocked 4" Feathers	1716, 1816	Doz	"	10463206
1151	Stocked 5" Vanes	2018, 2117, 2216, 2219, 2315	Doz	"	10406806
1152	Stocked 5" Feathers	2018	Doz	"	10468006
1171	Custom Vanes	All	Doz	"	10468006
1172	Custom Feathers	All	Doz	"	10468006
C1141	"C" Box 4" Vanes	All	1/2 Doz	"	10203406
C1142	"C" Box 4" Feathers	All	1/2 Doz	"	10231606
C1151	"C" Box 5" Vanes	All	1/2 Doz	"	10203406
C1152	"C" Box 5" Feathers	All	1/2 Doz	"	10231606

Easton Legacy XX75



7075-T9 aerospace alloy. Cedar, PermaGraphic woodgrain pattern. Full diameter taper swage. Weight tolerance of +/- 1%. Conventional nock and inserts not included with shafts. Nocks included with fletched arrows

Order No	Style	Size	Pk	Str Tol	Code
430	Raw Shafts	1916, 2016, 2018, 2020, 2117, 2216, 2219, 2315	Doz	+/- .002"	10442806
4371	Custom Vanes	All	Doz	"	10522006
4372	Custom feathers	All	Doz	"	10583206

Easton Mossy Oak New Break-Up XX75



7075-T9 aerospace alloy. Hard-anodized PermaGraphic Mossy Oak New Break-Up camo. Weight tolerance of +/- 1%. Super Uni-bushing and Super nock installed and RPS inserts included.

Order No	Style	Size	Pk	Str Tol	Code
730	Raw Shafts	2013, 2114, 2117, 2213, 2216, 2314, 2315, 2413, 2514	Doz	+/- .002"	10489606
7341	Stocked 4" Vanes	2013, 2114, 2117, 2213, 2216, 2314, 2315, 2413	Doz	"	10568806
7371	Custom Vanes	All	Doz	"	10568806
7372	Custom Feathers	All	Doz	"	10630006
C7341	"C" Box 4" Vanes	All	1/2 Doz	"	10284406
C7342	"C" Box 4" Feathers	All	1/2 Doz	"	10312606