

Ballast Type: Round white cloud fluorescent ceiling fixture with white acrylic diffuser. Compact fluorescent

PL7006-8



Catalog #	W x H x L	Max Watt	Light
PL7006-8	11" x 3"	CFT13W/GX23 (13w 2-pin)	2

Two-light energy saving multi-purpose ceiling mount fixture in Brushed Nickel finish. Etched alabaster style glass. Rated for 90 degree supply wire and damp locations. Electronic ballast (requires 4-pin lamps).

PL8692-78



Catalog #	W x H x L	Max Watt	Light
PL8692-78	13 1/4" x 5 1/2"	CFQ13/G24q	2
PL8693-78	15 1/2" x 5 1/2"	CFQ18/G24q	2

Two-light energy saving multi-purpose ceiling mount fixture in Polished Brass finish. Etched alabaster style glass. Rated for 90 degree supply wire and damp locations. Electronic ballast (requires 4-pin lamps).

PL8692-18



Catalog #	W x H x L	Max Watt	Light
PL8692-1	13 1/4" x 5 1/2"	CFQ13/G24q	2
PL8693-1	15 1/2" x 5 1/2"	CFQ18/G24q	2



Two-light energy saving multi-purpose ceiling mount fixture in Textured White finish. Etched alabaster style glass. Rated for 90 degree supply wire and damp locations. Electronic ballast (requires 4-pin lamps).

PL8692-18

Catalog #	W x H x L	Max Watt	Light
PL8692-18	13 1/4" x 5 1/2"	CFQ13/G24q	2
PL8693-18	15 1/2" x 5 1/2"	CFQ18/G24q	2



Two-light semi-flush in Brushed Nickel finish with white etched, swirled glass shade.

PL8692-18

Catalog #	W x H x L	Max Watt	Light
M2824-78	17" x 13"	100w	2



One-light, compact fluorescent die-cast aluminum outdoor post lantern in Tile Bronze finish with etched seedy glass panels. Electronic ballast for reliable starting to 0 degrees farenheit.

PL5615-81

Catalog #	W x H x L	Max Watt	Light
PL5615-81	8 3/4" x 21"	CFTR26W/GX24q (26w 4-pin)	1



One-light, compact fluorescent die-cast aluminum outdoor wall bracket in tile bronze finish with etched seeded glass panels. Electronic ballast for reliable starting to 0° F.

PL5212-81

Catalog #	W x H x L	Max Watt	Light	HCO	Extends
PL5212-81	7" x 14"	CFTR26W/GX24q (26w 4-pin)	1	6"	8"

S